

# MASTER STOP™ MARINE Anti-Slip Tapes & Treads

Innovative Safety Solutions

## MASTER STOP® Marine Advantages

Rolls available in 2 inch and 4 inch widths

Treads available in 5" x 24" die-cut pieces

### Custom sizes available

Designed specifically for marine use made with a fine grit suitable for bare feet

Easy to clean, will not shred a sponge or mop

Treads come with one side pressure sensitive adhesive with removable liner

Visit www.surefootcorp.com for additional installation instructions



## Sure-Foot's MASTER STOP® Marine line of anti-slip tapes are designed for use in and around your recreational watercraft.

These products utilize unique grit blends applied to a pressure sensitive adhesive polyester film which provides an industrial strength non-slip surface without the look and feel of aggressive industrial tapes. These specialized safety products are now available in five (5) distinct colors. Our White, Brown, Beige, Black and Grey products can be used on a wide variety of surfaces such as ramps, decks, pool areas, docks and gangways.













## » MASTER STOP® Marine Safety Tapes and Treads

Master Stop® Marine Tapes and Treads are made with a proprietary blend of fine abrasive grit adhered to polyester film to provide maximum slip resistance while appealing to today's savvy consumers. Our Marine line meets and exceeds OHSA and ADA recommendations for slip resistance on both flat and inclined surfaces. The adhesive backing with removable liner offers the versatility to be applied in both interior and exterior applications. Suitable for pet use and barefoot traffic, the Marine Collection offers superior anti-slip products in today's appealing colors.

## CONTACT US FOR A SAMPLE AT 800-522-6566

Sure-Foot Industries | 20260 First Avenue | Cleveland, Ohio 44130 | Toll Free: 800-522-6566 | www.surefootcorp.com

# » Marine Tape Rolls


Master Stop's® Marine line of tape is an easy and effective way to improve safety while helping minimize slips and falls. These specialty tapes are available in standard 2" & 4" wide rolls but can also be ordered in custom roll sizes if necessary. Our Master Stop® tapes and treads can be installed on a wide variety of surfaces such as wood, smooth concrete, fiberglass, metal or tile providing the surface is clean, dry and the temperature is between 50°F and 100°F. Visit www.surefootcorp for additional installation instructions.



### MASTER STOP® Marine Standard Roll Sizes

| PART # | SIZE (in rolls) | ITEMS/CASE | CASE WEIGHT |
|--------|-----------------|------------|-------------|
| 882xxS | 2" x 30'        | 6 Rolls    | 8 lbs.      |
| 882xx  | 2" x 60'        | 6 Rolls    | 16 lbs.     |
| 884xxS | 4" x 30'        | 3 Rolls    | 8 lbs.      |
| 884xx  | 4" x 60'        | 3 Rolls    | 16 lbs.     |

\*xx identifies color of product i.e. 01= White



# » Marine Treads

Master Stop® Marine Treads are available in pre-cut 5"W x 24"L pieces with rounded corners for use on steps, ramps and walking surfaces. This unique dimension will allow for use on standard 6" deck boards without the need to trim or cut the tread while simplifying the installation. Just peel and stick the treads to a clean, dry surface and it's ready for immediate use. Visit www.surefootcorp for additional installation instructions.

#### MASTER STOP® Marine Standard Tread Sizes

| PART # | SIZE (in rolls) | ITEMS/CASE | CASE WEIGHT |
|--------|-----------------|------------|-------------|
| 663xx  | 5" x 24"        | 12 pcs     | 5 lbs.      |

\*xx identifies color of product i.e. 01= White





20260 First Avenue | Cleveland, Ohio 44130 | Toll Free: 800-522-6566 | www.surefootcorp.com AMERICAN MADE & AMERICAN OWNED SINCE 1979

### MASTER STOP™ EXTREME Marine Tapes & Treads Advantages

Multi-layer grit embedding process lengthens product life

Simple peel and stick installation: simply peel and stick to any clean dry surface

Adhesive bond is up to 3 times stronger than standard anti-slip tapes

Available in Heavy Duty/ Coarse and Medium Grit in Black and Safety Yellow

Standard sizes of 3"x 24", 4"x 12" 6"x 24", 6"x 36" and in 4"x 30 foot rolls

> Custom sizes available

## Master Stop™ EXTREME Marine Tapes & Treads are Sure Foot's strongest peel and stick products.

From offshore marine applications to the transportation industry, this specifically designed pressure sensitive adhesive material is capable of preventing slips, trips, and falls in the harshest environments.



## » General Info

Made with a proprietary formula, Master Stop® EXTREME Marine Tapes & Treads are specifically designed to out perform standard anti-slip tapes. Master Stop's<sup>™</sup> EXTREME Marine multi-climate durable design is ideal for demanding applications where safety is a must. These tapes and treads meet and exceed OSHA and ADA recommendations for slip resistance. Marine Tapes & Treads are recommended for use in offshore and heavy marine applications, oil and gas rigs, heavy traffic areas, work areas, loading docks, stairways, ramps and walkways. Available in BLACK and SAFETY YELLOW, and in HEAVY DUTY/ COARSE and MEDIUM arit sizes.





20260 First Avenue | Cleveland, Ohio 44130 | Toll Free: 800-522-6566 | www.surefootcorp.com AMERICAN MADE & AMERICAN OWNED SINCE 1979

**MASTER STOP™ EXTREME** Marine **Tapes & Treads Advantages** 

### Easy to cut and trim

**Useful temperature** range of -40 °F to +175 °F (when applied properly per installation instructions)

**Tolerates steam** cleaning, detergent cleaning, and low PSI pressure washing

**Essentially** unaffected by oil, grease, saltwater. mild acid, or alkali exposure under normal conditions

#### **Extremely durable**

**Custom sizes** available

Visit www.surefootcorp.com for additional installation instructions





Heavy Duty/ Coarse Yellow

\_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_

10/40 Grit Mesh Blend

**Heavy Duty/ Coarse Black** 

10/40 Grit Mesh Blend

## **Medium Yellow**

20/40 Grit Mesh Blend

**Medium Black** 20/40 Grit Mesh Blend

## **Master Stop® EXTREME Marine Adhesive Technical Data**

#### **DESCRIPTION:**

A permanent type, solvent based, rubber based emulsion pressure sensitive adhesive.

#### THICKNESS (PTSC-33): 3.0 - 3.5 mils +/- .2 mils

### ADHESION PROPERTIES (PTSC-101) 180° Peel Adhesion (immediate) lbs/in

180° Peel Adhesion (24Hrs dwell) lbs/in

#### COHESIVE PROPERTIES (PTSC-107) Shear Adhesion (1/2" x 1/2", 500 gms) hrs Shear Adhesion (1/2" x 1/2", 1000 gms) hrs

TACK PROPERTIES (PTSC-6) Rolling Ball, inches

9.2 (+/-0.7) > 12.0

> 30 hours

> 5 hours

< .75"

20260 First Avenue | Cleveland, Ohio 44130 | Toll Free: 800-522-6566 | www.surefootcorp.com AMERICAN MADE & AMERICAN OWNED SINCE 1979